

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
 Product name : Profi6 Low Foam  
 Product code : 273573  
 Type of product : Detergent  
 Product group : Cleaning product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Intended for general public  
 Main use category : Consumer use  
 Use of the substance/mixture : The information given in this MSDS concerns the product and is given on the assumption mentioned in section 1.1, that the product will be used in the manner and for the purposes indicated by the manufacturer.  
 Use of the substance/mixture : Cleaners, liquids (all purpose cleaners, sanitary products, floor cleaners, glass cleaners, carpet cleaners, metal cleaners, air fresheners)  
 Function or use category : Cleaning/washing agents and additives

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

**Distributor:** Ricca Clean Nederland B.V.  
 P.O. Box 175  
 2130 AD Hoofddorp - The Netherlands  
 Phone: +31 (0)88-2400488  
[info@ricca-clean.nl](mailto:info@ricca-clean.nl) - [www.ricca-clean.nl](http://www.ricca-clean.nl)  
[info@profibright.eu](mailto:info@profibright.eu) - [www.profibright.eu](http://www.profibright.eu)

#### 1.4. Emergency telephone number

Emergency number : +31 (0)88-2400488

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	0870 243 2241	

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Corrosive to metals, Category 1 : H290  
 Skin corrosion/irritation, Category 1A : H314  
 Full text of H statements : see section 16

##### Adverse physicochemical, human health and environmental effects

Causes severe skin burns and eye damage.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

Signal word (CLP) : Danger.  
 Hazardous ingredients : Silicic acid (H<sub>2</sub>SiO<sub>3</sub>), disodium salt, pentahydrate

# Profi6 Low Foam

## Safety Data Sheet

according to Regulation (EU) 2015/830

Hazard statements (CLP)	: H290 - May be corrosive to metals. H314 - Causes severe skin burns and eye damage.
Precautionary statements (CLP)	: P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children. P280 - Wear eye protection, protective gloves, Protective clothing, Face shield. P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
EUH-statements	: EUH208 - Contains LIMONENE. May produce an allergic reaction.
Security closing plug for children	: Applicable
Tactile warning	: Applicable

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
CAPRYLETH-9 CARBOXYLIC ACID	(CAS-No.) 53563-70-5	5 - 10	Skin Irrit. 2, H315 Eye Dam. 1, H318
Silicic acid (H <sub>2</sub> SiO <sub>3</sub> ), disodium salt, pentahydrate	(CAS-No.) 6834-92-0 (EC-No.) 229-912-9 (EC Index-No.) 014-010-00-8 (REACH-no) 01-2119449811-37	1 - 5	Met. Corr. 1, H290 Skin Corr. 1B, H314 STOT SE 3, H335
Potassium hydroxide	(CAS-No.) 1310-58-3 (EC-No.) 215-181-3 (EC Index-No.) 019-002-00-8 (REACH-no) 01-2119487136-33	0,1 - 1	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314
LIMONENE	(CAS-No.) 5989-27-5 (EC-No.) 227-813-5 (EC Index-No.) 601-029-00-7 (REACH-no) 01-2119529223-47	0,1 - 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

#### Specific concentration limits:

Name	Product identifier	Specific concentration limits
Potassium hydroxide	(CAS-No.) 1310-58-3 (EC-No.) 215-181-3 (EC Index-No.) 019-002-00-8 (REACH-no) 01-2119487136-33	( 0,5 =<C < 2) Eye Irrit. 2, H319 ( 0,5 =<C < 2) Skin Irrit. 2, H315 ( 2 =<C < 5) Skin Corr. 1B, H314 ( C >= 5) Skin Corr. 1A, H314

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
First-aid measures after skin contact	: Take off immediately all contaminated clothing and wash it before reuse. Immediately call a POISON CENTER/doctor. Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Immediately call a POISON CENTER/doctor. Rinse mouth. Do not induce vomiting. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Causes severe skin burns and eye damage.
Symptoms/effects after inhalation	: Inhalation may cause irritation (cough, short breathing, difficulty in breathing).

# Profi6 Low Foam

## Safety Data Sheet

according to Regulation (EU) 2015/830

Symptoms/effects after skin contact : Burns.  
Symptoms/effects after eye contact : Serious damage to eyes.  
Symptoms/effects after ingestion : Burns.

### 4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.  
Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Not flammable.  
Hazardous decomposition products in case of fire : Corrosive vapours. Carbon monoxide. Toxic fumes may be released.

### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.  
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Clean up any spills as soon as possible, using an absorbent material to collect it.

#### 6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.  
Emergency procedures : Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray.

#### 6.1.2. For emergency responders

Protective equipment : Wear recommended personal protective equipment.  
Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Absorb spilled material with sand or earth. Absorb remaining liquid with sand or inert absorbent and remove to safe place.

### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection".

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.  
Hygiene measures : Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.  
Storage conditions : Store locked up.  
Incompatible products : Strong acids.  
Special rules on packaging : Store in a closed container. Keep only in original container.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Potassium hydroxide (1310-58-3)		
United Kingdom	Local name	Potassium hydroxide
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>

# Profi6 Low Foam

## Safety Data Sheet

according to Regulation (EU) 2015/830

<b>Potassium hydroxide (1310-58-3)</b>	
DNEL/DMEL (Workers)	
Long-term - local effects, inhalation	1 mg/m <sup>3</sup>
DNEL/DMEL (General population)	
Long-term - local effects, inhalation	1 mg/m <sup>3</sup>
<b>Silicic acid (H<sub>2</sub>SiO<sub>3</sub>), disodium salt, pentahydrate (6834-92-0)</b>	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	1,49 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	6,22 mg/m <sup>3</sup>
DNEL/DMEL (General population)	
Long-term - systemic effects, oral	0,74 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	1,55 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	0,74 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	7,5 mg/l
PNEC aqua (marine water)	1 mg/l
PNEC aqua (intermittent, freshwater)	7,5 mg/l
PNEC (STP)	
PNEC sewage treatment plant	1000 mg/l

### 8.2. Exposure controls

#### Hand protection:

Protective gloves

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	2 (> 30 minutes)	0,4	2 (< 1.5)	EN 374

#### Eye protection:

Safety glasses

Type	Use	Characteristics	Standard
Safety glasses	Droplet	With side shields	EN 166

#### Skin and body protection:

Chemical resistant apron. Chemical resistant safety shoes

#### Respiratory protection:

In case of inadequate ventilation wear respiratory protection.

Device	Filter type	Condition	Standard
Full face respirator	ABEK, Type P2	Vapour protection	EN 140



#### Other information:

Do not eat, drink or smoke when using this product.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Odour	: slight. perfumed.
Odour threshold	: No data available
pH	: 13,5
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available

# Profi6 Low Foam

## Safety Data Sheet

according to Regulation (EU) 2015/830

Flash point	: > 100 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1,03 g/cm <sup>3</sup>
Solubility	: completely soluble.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: < 50 mPa.s
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

High temperature.

### 10.5. Incompatible materials

Strong acids.

### 10.6. Hazardous decomposition products

Carbon monoxide. Thermal decomposition generates : Corrosive vapours.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

<b>Potassium hydroxide (1310-58-3)</b>	
LD50 oral	333 mg/kg bodyweight
<b>Silicic acid (H<sub>2</sub>SiO<sub>3</sub>), disodium salt, pentahydrate (6834-92-0)</b>	
LD50 oral rat	1200 mg/kg
LD50 dermal rat	> 5000 mg/kg
<b>LIMONENE (5989-27-5)</b>	
LD50 oral rat	4400 mg/kg
LD50 dermal rabbit	> 5000 mg/kg

Skin corrosion/irritation	: Causes severe skin burns and eye damage. pH: 13,5
Serious eye damage/irritation	: Serious eye damage, category 1, implicit pH: 13,5
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified

# Profi6 Low Foam

## Safety Data Sheet

according to Regulation (EU) 2015/830

STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

<b>Profi6 Low Foam</b>	
Viscosity, kinematic	< 48,54368932 mm <sup>2</sup> /s

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general	: Before neutralisation, the product may represent a danger to aquatic organisms.
Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Not classified

<b>Potassium hydroxide (1310-58-3)</b>	
LC50 fish 1	80 mg/l
<b>Silicic acid (H<sub>2</sub>SiO<sub>3</sub>), disodium salt, pentahydrate (6834-92-0)</b>	
LC50 fish 1	210 mg/l
EC50 Daphnia 1	1700 mg/l
<b>LIMONENE (5989-27-5)</b>	
LC50 fish 1	0,72 mg/l OECD 203
EC50 Daphnia 1	0,36 mg/l OECD 202
EC50 other aquatic organisms 1	3,94 mg/l OECD 209

#### 12.2. Persistence and degradability

<b>Profi6 Low Foam</b>	
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
<b>LIMONENE (5989-27-5)</b>	
Biodegradation	71 % OECD 301B

#### 12.3. Bioaccumulative potential

<b>LIMONENE (5989-27-5)</b>	
Log Pow	4,2

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

No additional information available

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Regional legislation (waste)	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Empty containers can be dumped after cleaning according to local legislation. If recycling is not possible, eliminate in accordance with local valid waste disposal regulations.
Ecology - waste materials	: Avoid release to the environment.
European List of Waste (LoW) code	: 20 01 29* - detergents containing dangerous substances

### SECTION 14: Transport information






In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number</b>				
3266	3266	3266	3266	3266
<b>14.2. UN proper shipping name</b>				
CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Silicic acid	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Silicic acid	Corrosive liquid, basic, inorganic, n.o.s. (Silicic acid (H <sub>2</sub> SiO <sub>3</sub> ), disodium	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Silicic acid	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Silicic acid

# Profi6 Low Foam


## Safety Data Sheet

according to Regulation (EU) 2015/830

ADR	IMDG	IATA	ADN	RID
(H <sub>2</sub> SiO <sub>3</sub> ), disodium salt, pentahydrate)	(H <sub>2</sub> SiO <sub>3</sub> ), disodium salt, pentahydrate)	salt, pentahydrate)	(H <sub>2</sub> SiO <sub>3</sub> ), disodium salt, pentahydrate)	(H <sub>2</sub> SiO <sub>3</sub> ), disodium salt, pentahydrate)
<b>Transport document description</b>				
UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Silicic acid (H <sub>2</sub> SiO <sub>3</sub> ), disodium salt, pentahydrate), 8, III, (E)	UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Silicic acid (H <sub>2</sub> SiO <sub>3</sub> ), disodium salt, pentahydrate), 8, III	UN 3266 Corrosive liquid, basic, inorganic, n.o.s. (Silicic acid (H <sub>2</sub> SiO <sub>3</sub> ), disodium salt, pentahydrate), 8, III	UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Silicic acid (H <sub>2</sub> SiO <sub>3</sub> ), disodium salt, pentahydrate), 8, III	UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Silicic acid (H <sub>2</sub> SiO <sub>3</sub> ), disodium salt, pentahydrate), 8, III
<b>14.3. Transport hazard class(es)</b>				
8	8	8	8	8
				
<b>14.4. Packing group</b>				
III	III	III	III	III
<b>14.5. Environmental hazards</b>				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available				

### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR)	: C5
Special provisions (ADR)	: 274
Limited quantities (ADR)	: 5I
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T7
Portable tank and bulk container special provisions (ADR)	: TP1, TP28
Tank code (ADR)	: L4BN
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Hazard identification number (Kemler No.)	: 80
Orange plates	: 

Tunnel restriction code (ADR)	: E
EAC code	: 2X
APP code	: B

#### - Transport by sea

Special provisions (IMDG)	: 223, 274
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP1, TP28
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-B

# Profi6 Low Foam

## Safety Data Sheet

according to Regulation (EU) 2015/830

Stowage category (IMDG)	: A
Stowage and handling (IMDG)	: SW2
Segregation (IMDG)	: SG35
Properties and observations (IMDG)	: Reacts violently with acids. Causes burns to skin, eyes and mucous membranes.

### - Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y841
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 852
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 856
CAO max net quantity (IATA)	: 60L
Special provisions (IATA)	: A3
ERG code (IATA)	: 8L

### - Inland waterway transport

Classification code (ADN)	: C5
Special provisions (ADN)	: 274
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 0

### - Rail transport

Classification code (RID)	: C5
Special provisions (RID)	: 274
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T7
Portable tank and bulk container special provisions (RID)	: TP1, TP28
Tank codes for RID tanks (RID)	: L4BN
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Colis express (express parcels) (RID)	: CE8
Hazard identification number (RID)	: 80

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Allergenic fragrances > 0,01%:

Citral
Limonene

Detergent Regulation : Labelling of contents:

Component	%
phosphates, anionic surfactants	5-15%
perfumes	
CITRAL	



# Profi6 Low Foam

## Safety Data Sheet

according to Regulation (EU) 2015/830

LIMONENE

### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	Sewage treatment plant
TLM	Median Tolerance Limit
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Flam. Liq. 3	Flammable liquids, Category 3
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1

# Profi6 Low Foam

## Safety Data Sheet

according to Regulation (EU) 2015/830

STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H226	Flammable liquid and vapour.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH208	Contains . May produce an allergic reaction.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Met. Corr. 1	H290	Calculation method
Skin Corr. 1A	H314	On basis of test data

SDS EU (REACH Annex II)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*